



Contents



TALL UNIT SOLUTIONS

Programme	Page Nr.
DISPENSA Tandem	2.04
TANDEM Solo / TANDEM Side	2.06
CONVOY Premio / CONVOY Lavidio	2.08
DISPENSA Larder	2.10
CONVOY Centro	2.11

CORNER UNIT SOLUTIONS

Programme	Page Nr.
LeMans II	2.12
Magic Corner	2.13
Carousels	2.14

BASE UNIT SOLUTIONS


Programme	Page Nr.
150 mm Pull Outs	2.16
DISPENSA Jr III / Comfort Base Larder / TANDEM Side	2.18
Pull Out Baskets	2.20
Swivel Lift / TOPFLEX table / Miscellaneous	2.22
WESCO Bin Solutions	2.24

MIDWAY AND WALL SOLUTIONS

Programme	Page Nr.
TableLine Console	2.31
Linerio MosaiQ	2.31
iMove Pull down	2.32
General Wall Fittings	2.33

BEDROOM SOLUTIONS


Programme	Page Nr.
Wardrobe Shoe Rack	2.34
Trouser Pull Out	2.34
Ideal Pull Out	2.35
Pull Down Wardrobe Rail	2.36



Features

ARENA^{plus} anti-slip finish

Kesseböhmer developed the special ARENA Plus coating which prevents pots and pans, crockery and groceries slipping and sliding when a pull-out is opened or a carousel turned. All ARENA Style trays are supplied with the anti-slip coating.



SoftStopp & SoftStopp Plus – gentle deceleration and noiseless closing.

SoftStopp & SoftStopp Plus is the best combination as a high-performance damping system for cabinets designed to take high loads.



SoftStopp Pro ensures gentle deceleration when opening

Basket Options

Kessebohmer offer a range of different basket options across their range. Pull Out baskets are 3 sided with the back of the door acting as the fourth side, this ensures maximum storage space on each shelf.

This year we are introducing the new Anthracite collection in Arena Style, the tray has flat steel side bars with a sealed MFC base and Arena Plus anti slip coating



- Metal Wire
- Chrome plated



- Flat Metal Sides
- Chrome plated
- Solid MFC sealed base



- Round Metal Sides
- Powder coated Soft Aluminium
- Solid MFC base



- Metal Wire Basket
- Powder coated Soft Aluminium



- Round Metal Sides
- Chrome plated
- Solid MFC sealed base



Tall Units - Hinged Doors



Dispensa TANDEM

- TANDEM offers completely new potential for food storage – just opening the door is an inspiration.
- In a clever piece of engineering, the back shelf element moves automatically towards the user as the door is pulled open.
- Kitchen users can check contents at a glance and easily reach what they want. The shelf element on the door is designed to make best use of the available space.

DISPENSA Tandem - Dimensions

Cabinet Width		450 mm	500 mm	600 mm
Frame Height	4 tier	1200 mm	1200 mm	1200 mm
	6 tier	1700 mm	1700 mm	1700 mm
Minimum Inside Cabinet Width		412 mm	462 mm	562 mm
Minimum Inside Cabinet Depth		500 mm	500 mm	500 mm
Load Capacity on Pull Out Shelf		50 kg	50 kg	50 kg
Load Capacity on Door Shelf		20 kg	20 kg	20 kg



- Smooth, silent opening and closing
- Simplified assembly
- Generous storage space in the door shelf

DISPENSA Tandem - Order Codes

Basket Type	Finish		450 mm	500 mm	600 mm
Metal	Chrome	4 tier	KLDT4512C	KLDT5012C	KLDT6012C
		6 tier	KLDT4517C	KLDT5017CP	KLDT6017CP
Arena Style	Anthracite	4 tier	KLDT4512ASA	KLDT5012ASA	KLDT6012ASA
		6 tier	KLDT4517ASA	KLDT5017ASA	KLDT6017ASA
	Chrome	4 tier	KLDT4512ASC	KLDT5012ASC	KLDT6012ASC
		6 tier	KLDT4517ASC	KLDT5017ASC	KLDT6017ASC

Dispensa TANDEM Depot

- Double the gain by installing two TANDEMs in one kitchen unit: as a TANDEM Depot, in 900mm, 1000mm and 1200mm units. 3 Basket options
- Hinged unit
- Soft Stopp Plus
- Adjustable baskets
- 2 frame heights
- 3 widths



DISPENSA Tandem Depot - Dimensions

Cabinet Width		900 mm	1000 mm	1200 mm
Frame Height	4 tier	1200 mm	1200 mm	1200 mm
	6 tier	1700 mm	1700 mm	1700 mm
Minimum Inside Cabinet Width		862 mm	962 mm	1162 mm
Minimum Inside Cabinet Depth		500 mm	500 mm	500 mm
Load Capacity on Pull Out Shelf		50 kg	50 kg	50 kg
Load Capacity on Door Shelf		20 kg	20 kg	20 kg

DISPENSA Tandem Depot - Order Codes

Basket Type		Finish	900 mm	1000 mm	1200 mm
Wire	Chrome	4 tier	KLDT9012C	KLDT1012C	KLDT1212C
		6 tier	KLDT9017C	KLDT1017C	KLDT1217C
Arena Style	Anthracite	4 tier	KLDT9012ASA	KLDT1012ASA	KLDT1212ASA
		6 tier	KLDT9017ASA	KLDT1017ASA	KLDT1217ASA
	Chrome	4 tier	KLDT9012ASC	KLDT1012ASC	KLDT1212ASC
		6 tier	KLDT9017AS	KLDT1017ASC	KLDT1217ASC

Tall Units - Hinged Doors



TANDEM Solo

- More storage space, better organised, better access.
- Opening the door draws the fitting automatically out of the unit.
- Users can choose and change the position of the hook-on trays
- Support frame attached to carcass sides, so independent of carcass height – also ideal for highboards
- 80 kg weight capacity with clear unrestricted access to the 5 shelves
- TANDEM Solo is available in both 500 and 600 mm widths for inside cabinet heights ≥ 1700 mm

TANDEM Solo - Dimensions

Cabinet Width		500 mm	600 mm
Frame Height	5 tier	1636 mm	1636 mm
Inside Cabinet Width		$\geq 462 - 470$ mm	$\geq 562 - 570$ mm
Minimum Inside Cabinet Depth		≥ 495 mm	≥ 495 mm
Opening Angle		110°	110°
Pull Out Travel Distance		330 mm	330 mm
Maximum Load Capacity		80 kg	80 kg



- Opening the door draws the fitting automatically out of the unit.
- Users can choose and change the position of the hook-on trays
- Support frame attached to carcass sides, so independent of carcass height – also ideal for highboards

TANDEM Solo - Order Codes

Basket Type			500 mm	600 mm
Arena Classic	Soft Aluminium	5 tier	KTST505ACS	KTST605ACS
Arena Style	Anthracite	5 tier	KTST505ASA	KTST605ASA

TANDEM Side

- Simply opening the door provides direct and easy access to the contents.
- Trays are height-adjustable for maximum flexibility.
- The idea, as simple as it is inspired, offers wide scope for individual choice.
- TANDEM side shelves are dimensioned for compatibility with all currently available tall, wall and base cabinets.
- TANDEM side is more than just a door shelf. It grows and changes with the user.
- Designed as a building block system, it can be configured and adapted to suit changing needs and preferences.



TANDEM Side - Dimensions

Cabinet Width		450 mm	500 mm	600 mm
Frame Height	4 tier	1100 mm		
	5 tier	1700 mm		
Minimum Inside Cabinet Width		412 mm	462 mm	562 mm
Minimum internal space required		175 mm		
Load Capacity on each Shelf		4 kg		
Total Load Capacity on Door Shelf		20 kg		

- The streamlined elements – powder-coated in the trend colour anthracite – blend perfectly into contemporary lifestyle looks.
- At the same time they meet expectations for functionality and durability.
- The choice of tray styles is yours – ARENA classic with a round wire railing or ARENA style with a flat metal bands.



TANDEM Side - Order Codes

Basket Type		Finish		450 mm	500 mm	600 mm
Arena Style	Anthracite	4 tier		KTS1145ASA	KTS1150ASA	KTS1160ASA
		6 tier		KTS1745ASA	KTS1750ASA	KTS1760ASA
	Soft Aluminium	4 tier		KTS1145ACS	KTS1150ACS	KTS1160ACS
		6 tier		KTS1745ACS	KTS1750ACS	KTS1760ACS

Tall Units - Hinged Doors



CONVOY Premio

- CONVOY Premio 'floats' all the contents right out of the cabinet.
- Up to 135° opening angle.
- SoftStopp Pro damping brakes the opening movement
- Soft, self-closing, dampening.
- Full-extension means a totally unobstructed view from 3 sides
- Max 130kg including system
- 5 ARENA Vario shelves
- Tool free adjustment and free positioning of shelves

CONVOY Premio - Dimensions

Cabinet Width		600 mm
Frame Height	5 tier	1530 mm
Inside Cabinet Width		562 mm
Minimum Inside Cabinet Depth		500 mm
Opening Angle		≤ 135°
Pull Out Travel Distance		470 mm
Load Capacity on Shelf		20 kg



CONVOY Premio - Order Codes

Basket Type	Finish		600 mm Left Hand	600 mm Right Hand
Arena Vario	Chrome/Glass	5 tier	KCPT605LAV	KCPT605RAV

CONVOY Lavidio

- CONVOY Lavidio – everything in easy reach
- SoftStopp Pro damping brakes the opening movement
- Soft, self-closing, dampening.
- Full-extension means a totally unobstructed view from 3 sides
- Max 130kg including system
- 5 ARENA Vario shelves
- Tool free adjustment and free positioning of shelves
- 500 & 600 mm cabinet widths
- For use with Blum 155° zero protrusion hinge



CONVOY Lavidio - Dimensions

Cabinet Width		500 mm	600 mm
Frame Height	5 tier	1530 mm	1530 mm
Minimum Inside Cabinet Width		462 mm	562 mm
Minimum Inside Cabinet Depth		500 mm	500 mm
Opening Angle		≤ 155°	≤ 155°
Pull Out Travel Distance		470 mm	470 mm
Maximum Total Weight		130 kg	130 kg



CONVOY Lavidio - Order Codes

Basket Type		Finish	500 mm	600 mm
Arena Vario	Chrome/Glass	5 tier	KCLT500AV	KCLT600AV

Tall Units - Pull Outs



DISPENSA Click Fix Larder

- Huge storage capacity and a clear overview.
- Each tray or basket can be individually hung at a height to suit the contents, making DISPENSA 90° a flexible solution providing a lot of storage with a very small footprint.
- The entire height and width of the unit can be fully utilised.
- All the contents, even on the topmost shelf, are in clear view – from either side!
- Full Extension 120 kg runner
- Two height adjustable frame heights
- Five basket options
- Three cabinet width options
- Soft Stopp Plus as standard

DISPENSA Click Fix Larder - Technical

Cabinet Width	300 mm	400 mm	500 mm
Minimum Inside Cabinet Width	250 mm	350 mm	450 mm
Minimum Inside Cabinet Depth	500 mm		
Runner Extension	470 mm		
Runner Load Capacity	120 kg		



Click Fix DISPENSA Larder - Order Codes

Internal Height	Basket Type	Basket Finish	300 mm	400 mm	500 mm
Studio Height 1200 - 1600 mm 4 Baskets	Wire	Soft Aluminium	KLCMF304S	KLCMF404S	KLCMF504S
		Chrome	KLCMF304C	KLCMF404C	KLCMF504C
	Comfort Line	Soft Aluminium	KLCMF304CL	KLCMF404CL	KLCMF504CL
	Arena Style	Anthracite	KLCMF304ASA	KLCMF404ASA	KLCMF504ASA
		Chrome	KLCMF304AS	KLCMF404AS	KLCMF504AS
Full Height 1900 - 2300 mm 5 Baskets	Wire	Soft Aluminium	KLCTF305S	KLCTF405S	KLCTF505S
		Chrome	KLCTF305C	KLCTF405C	KLCTF505C
	Comfort Line	Soft Aluminium	KLCTF305CL	KLCTF405CL	KLCTF505CL
	Arena Style	Anthracite*	KLCTF305ASA	KLCTF405ASA	KLCTF505ASA
		Chrome	KLCTF305AS	KLCTF405AS	KLCTF505AS

* Anthracite frame height 1800 - 2200 mm

CONVOY Centro

- Kesseböhmer's CONVOY Centro provides space enough to store all the groceries for a household in just one unit with a very small footprint.
- A gentle pull moves the entire contents out in front of the unit – for a clear view from either side and very fast access.
- It makes kitchen work much easier, saving time and effort, and there's no risk of items being forgotten at the back of a cupboard.
- Force synchronised runner with toothed rack - 100% reliable
- Five Arena Vario shelves with stepless height adjustable
- 130 kg weight capacity
- Integrated SoftStopp and Soft opening
- 300 & 400 mm cabinet widths



DISPENSA Click Fix Larder - Technical

Cabinet Width	300 mm	400 mm
Minimum Inside Cabinet Width	262 mm	362 mm
Minimum Inside Cabinet Depth	500 mm	
Runner Extension	470 mm	
Runner Load Capacity per shelf	20 kg	



CONVOY Centro - Order Codes


Basket Type	Finish		300 mm	400 mm
Arena Vario	Chrome/Glass	5 tier	KCCT300AV	KCCT400AV

Corner Unit Solutions



LeMans II

- Min 85° door opening angle required
- Click Fix assembly saving time up to 40%
- Height adjustable shelves
- 25 kg per shelf (+25%)
- MFC Malibu Grey with ANTI SLIP
- Individual Set Packing
- ARENA Style or ARENA Classic
- Optional self closing dampener with SoftStopp



LeMans II Technical


Door Width	400 mm	450 mm	500 mm	600 mm
A	≥ 764	≥800	≥910	≥960
B	≥ 500	≥ 500	≥ 500	≥ 500
C	361-368	411-418	461-468	561-568
D	16-19	16-19	16-19	16-19
E	≥ 60	≥ 60	≥ 60	≥ 60
F	≤400	≤ 450	≤ 500	≤ 600
G	≤ 65	≤ 65	≤ 65	≤ 65
H	600-900	600-900	600-900	600-900
J	≤ 25	≤ 25	≤ 25	≤ 25
K	≤ 70	≤ 70	≤ 70	≤ 70

LeMans II - Order codes

Design	Finish	Swivel	400 mm	450 mm	500 mm	600 mm
ARENA Style	Chrome	Left	KLE2400LASC	KLE2450LASC	KLE2500LASC	KLE2600LASC
		Right	KLE2400RASC	KLE2450RASC	KLE2500RASC	KLE2600RASC
	Anthracite	Left	KLE2400LASA	KLE2450LASA	KLE2500LASA	KLE2600LASA
		Right	KLE2400RASA	KLE2450RASA	KLE2500RASA	KLE2600RASA
ARENA Classic	Chrome	Left	KLE2400LACC	KLE2450LACC	KLE2500LACC	KLE2600LACC
		Right	KLE2400RACC	KLE2450RACC	KLE2500RACC	KLE2600RACC
	Silver	Left	KLE2400LACS	KLE2450LACS	KLE2500LACS	KLE2600LACS
		Right	KLE2400RACS	KLE2450RACS	KLE2500RACS	KLE2600RACS
Self closing Dampener		Left		KLE2DL		
		Right		KLE2DR		

Magic Corner

- Click Fixx assembly
- 14 kg weight capacity front section
- 18 kg weight capacity corner section
- Adjustable shelf positions
- SoftStopp as standard
- ARENA Style or Chrome finish



Magic Corner Technical

Door Width		
IW = Inside Width		860 - 971 mm
ID = Inside Depth		≥ 485 mm
IH = Inside Height		≥ 525 mm
Min Door Width		≥ 450 mm
Max Payload	Front Section	14 kg
	Corner Section	18 kg
P = Post Depth	ID = 485-500 mm	≤ 65
	ID = 500 - 510 mm	≤ 80

Magic Corner Order Codes

Swivel	Chrome	ARENA Style
Left	K6204C	K6204AS
Right	K6203C	K6203AS



-
- Technical drawing of a circular manhole with a rectangular extension. The drawing shows dimensions for the manhole opening, the internal structure, and the surrounding concrete. Key dimensions include:
- Overall width: 900 / 800
 - Internal width: $\varnothing 820 = \text{Inside Width} \geq 840$, $\varnothing 700 = \text{Inside Width} \geq 720$
 - Internal height: $\varnothing 820 = \geq 510$, $\varnothing 700 = \geq 480$
 - Extension width: $\varnothing 820 = 90$, $\varnothing 700 = 120$
 - Manhole opening: $\varnothing 820 / \varnothing 700$
 - Internal structure: $\varnothing 820 = 420$, $\varnothing 700 = 360$

	Diameter 700 mm	Diameter 820 mm
ARENA Classic Chrome	K6710A	K27082ACC
ARENA Style Chrome	K27070ASC	
ARENA Style Anthracite	K27070ASA	-




-
- Technical drawing of a semi-circular arch structure. The arch is green and sits on a grey base. Dimensions include a width of ≥ 900 , a height of > 475 , and a diameter of $\varnothing 750$. A central hole is marked with a green dot and labeled 27. Other dimensions include 65, 27, and 32.

ARENA Classic Chrome	Diameter750 mm K18075ACC
----------------------	-----------------------------

Rotary Carousel

- Set of 2 x 3/4 Carousels
- Suitable for 900 or 800 mm corner cabinets
- Chrome tray designs
- Stop position for carousels
- Height adjustable axle




Rotary Carousel - Order Codes

Carousel type	Diameter	Chrome
3/4 Carousel	700 mm	MB6012772



150 mm Bottle Pull Out

- Ideal storage for bottles
- Full extension runner
- 12 kg weight capacity
- Soft Stopp as standard
- Three-way front adjustment
- Arena Style Chrome or Anthracite tray designs




150 mm Bottle Pull Out

Finish	Arena Style Chrome	Arena Style Anthracite
Art No..	K5297ASC	K5297ASA



150 mm Towel Rail Pull Out

- Two towel rails and shelf
- Full extension runner
- 12 kg weight capacity
- Soft Stopp as standard
- Three way front adjustment
- Arena Style Chrome or Anthracite tray designs




150 mm Towel Rail Pull Out

Finish	Arena Style Chrome	Arena Style Anthracite
Art No..	K5399ASC	K5399ASA

150 mm Tray Pull Out

- For storage of baking trays / oven shelves
- Full extension runner
- 12 kg weight capacity
- Soft Stopp as standard
- 3-way front adjustment
- Arena Style Chrome or Anthracite tray designs



150 mm Baking Tray Pull Out

Finish	Arena Style Chrome	Arena Style Anthracite
Art No..	K5400ASC	K5400ASA



Base Unit Solutions



DISPENSA Jr. III base larder

- 300 mm and 400 mm wide cabinet
- Full extension with Soft Stopp
- Choice of 5 basket types
- Simple fitting to base of cabinet
- 24 kg load capacity
- High Stability
- 2 baskets



DISPENSA Jr III Base Larder - Technical Specification

Cabinet Width	Width	Depth	Height	Max weight
300 mm	≥ 260 mm	≥ 489 mm	≥ 610 mm	24 kg
400 mm	≥ 360 mm			

DISPENSA Jr III Base Larder - Order Codes

Basket Type	300 mm wide cabinet	400 mm wide cabinet
ARENA Style Chrome	KDJ3302ASC	KDJ3402ASC
ARENA Style Anthracite	KDJ3302ASA	KDJ3402ASA
Chrome	KDJ3302C	KDJ3402C
Comfort Line	KDJ3302CL	KDJ3402CL
Soft Aluminium	KDJ3302SA	KDJ3402SA



DISPENSA Jr. III YouBoxx

- 300 mm wide cabinet
- Full extension with Soft Stopp
- 2 x 3.2 ltr, 2 x 2.1 ltr, 2 x 1 ltr boxes
- 4 dividers, 2 lids
- Simple fitting to base of cabinet
- 24 kg load capacity

DISPENSA Jr III Base Larder - Technical Specification

Cabinet Width	Width	Depth	Height	Max weight
300 mm	≥ 260 mm	≥ 489 mm	≥ 610 mm	24 kg

DISPENSA Jr III Base Larder - Order Codes

Basket Type	300 mm wide cabinet
YouBoxx	KDJ3302YB

Comfort Base Larder Pull Out

- With a choice of trays and tray heights, a COMFORT base unit pull-out adapts easily to the user's requirements.
- Other benefits: the range of widths, ultra-simple assembly, perfect
- damping and concealed runners.
- Full extension Soft Stopp runners
- Arena Style or Chrome basket



Base Larder - Technical Specification

Inside Height	Hole Centres	Extension
min 680 mm	619 mm	465 mm

Full Extension Soft Stopp

	Frame Fixing	250 mm	300 mm	400 mm
Arena Style	Left Hand	KLBS250LAS	KLBS300LAS	KLBS400LAS
	Right Hand	KLBS250RAS	KLBS300RAS	KLBS400RAS
Chrome	Left Hand		KLBS300LCP	KLBS400LCP
	Right Hand		KLBS300RCP	KLBS400RCP

TANDEM Side for Base Units

- Simply opening the door provides direct and easy access to the contents.
- Trays are height-adjustable for maximum flexibility.
- TANDEM side is more than just a door shelf. It grows and changes with the user.



TANDEM Side Base - Dimensions

Cabinet Width		450 mm	500 mm	600 mm
Frame Height	3 tier	600 mm		
Min Inside Cabinet Width		412 mm	462 mm	562 mm
Min internal space required		175 mm		
Load Capacity on each Shelf		4 kg		

TANDEM Side Base - Order Codes

Basket Type	Finish		450 mm	500 mm	600 mm
Arena Style	Anthracite	3 tier	KTS0645ASA	KTS0650ASA	KTS0660ASA
	Soft Aluminium	3 tier	KTS0645ACS	KTS0650ACS	KTS0660ACS

Base Unit Solutions



Pull Out Baskets Arena

- Solid Base with Chrome Surround
- Lowered front for easier access
- Works in conjunction with BLUM Tandem Runner

Pull Out Baskets ARENA - Technical

Cabinet Width	500 mm	600 mm
Min Inside Cabinet Width	462 - 468 mm	562 - 568 mm
Min Inside Cabinet Depth	505 mm	
Blum Tandem Load Capacity	30kg	

Pull Out Baskets ARENA - Order Codes

Description	500 mm	600 mm
Basket For Use With Spacer Below, Chrome Spacer 25 mm (K8650/K8651/K8652)	K8651A	K8652A
Blum Tandem Full Extension Runner	K8756	
BLUMOTION Tandem Full Extension	B560H500	
	B560H500B	



Pull Out Baskets Chrome

- Chrome Basket
- Lowered front for easier access
- Full extension ball bearing runner 30 kg weight capacity
- Not a Kessebohmer product
- Baskets clip easily onto runner
- Suitable for 15/18 mm gables

Pull Out Baskets Chrome - Order Codes

Cabinet Width	Basket Dimensions W X D X H	Art. No..
300 mm	210 x 460 x 140 mm	MB6004300
400 mm	310 x 460 x 140 mm	MB6004400
450 mm	360 x 460 x 140 mm	MB6004450
500 mm	410 x 460 x 140 mm	MB6004500
600 mm	510 x 460 x 140 mm	MB6004600
700 mm	610 x 460 x 140 mm	MB6004700
800 mm	710 x 460 x 140 mm	MB6004800
900 mm	810 x 460 x 140 mm	MB6004900
1000 mm	910 x 460 x 140 mm	MB6004999

Base Unit Solutions

Pull Out Wicker Baskets

- Wicker basket with solid beech frame
- 455 mm depth
- 210 mm height
- Not a Kessebohmer product
- Individually packed with runners
- Suitable for 18 mm gables



Pull Out Wicker Baskets - Order Codes

Cabinet Width	Basket Dimensions W x D x H	Art. No..
400 mm	320 x 455 x 210 mm	CO60055
500 mm	420 x 455 x 210 mm	CO60056
600 mm	520 x 455 x 210 mm	CO60057

PORTERO Cleaning System

- High quality chrome
- Acid-resistant plastic trays
- Simple mounting to cabinet base
- Plastic trays are dishwasher safe
- Detachable basket with handle
- Includes dividers for secure storage of detergents and cleaning products
- Standard with softstopp



PORTERO System

W x D x H	Art. No..
276 x 468 x 395 mm	K5152C

Base Unit Solutions



Swivel Lift Fitting 1

- Parallel swing fitting
- Suitable for 450 - 600 mm cabinets
- Easily access food mixers and other electrical appliances
- Drops out of sight by unlocking 2 handles
- 8 kg weight capacity
- 4 springs for smoother action
- White Finish

Swivel Lift Fitting 1

Detail	Technical
Installation Width	410 - 570 mm
Max Load Capacity	8 kg
Usable Height	240 mm
Swivel depth	468 mm
Number Of Springs	4
Min. Installation Height	505 mm
Art. No.	K5310WH



TopFlex Pull Out Table

- Fits behind standard drawer front
- Suitable for 450 - 900 mm cabinets
- Can be used when partially extended
- Fully extended provides a flush work surface
- 30 kg weight capacity
- Furniture top not included

TopFlex Pull Out Table

Detail	Technical
Cabinet Width	450 - 900 mm
Max Load Capacity	30 kg
Extended Length	810 mm
Min Cabinet Depth	500 mm
Surface Thickness	15 - 19 mm
Art. No..	K5123

Pull Out Towel Rail

- Two arms
- Can be fitted left or right
- Swivels smoothly

Lockable Cleaning Pull Out

- Safely secures potentially dangerous cleaning products
- Can be fitted left or right
- Ballbearing runners

Sink Unit Accessories - Order Codes

Description	W x D x H	Art. No..
Two Arm Towel Rail	102 x 495 mm	K5050C
Lockable Detergent Basket	202 x 432 x 440 mm	K5150C



Wine Racks

- Simple easy fitting
- 150 or 300 mm wide cabinets
- Chrome finish

Chrome Wine Racks - Order Codes

Cabinet	Bottles	W x D x H	Art. No..
150 mm	5	109 x 200 x 616 mm	K223508C
300 mm	12	260 x 185 x 490 mm	K2040C
300 mm	15	260 x 185 x 490 mm	K2036C



Concealed Ironing Board

- Fits behind a standard drawer front
- Supports extend when drawer is opened
- Cotton cover with lining
- Suitable for 400 - 500 mm units

Ironing Board - Technical

Detail	Technical
Installation Width	362 - 500 mm
Min Internal Depth	500 mm
Board Length	950 mm
Board Width	300 mm
Max Top Shelf Of Cabinet	19 mm
Art. No.	6306CR





TANDEMBOX Bin

- For use with Blum TANDEMBOX drawer (see page 1.04)
- 30 or 65 kg weight capacities
- Integrated BLUMOTION soft close system
- Optional SERVO drive UNO for top hanging bins
- Powder coated steel lid
- Containers in light aluminium finish

TANDEMBOX Bin 405 mm height allows for positioning of a high fronted inner drawer above the bin for extra storage.

Tandembox Bin 405 mm Height

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
400 mm	400 x 505 x 405 mm	30 Litre (1x20,1x10)	W827408
450 mm	450 x 505 x 405 mm	40 Litre (2x20)	W827458
500 mm	500 x 505 x 405 mm	40 Litre (2x20)	W827508
600 mm	600 x 505 x 405 mm	60 Litre (2x20,2x10)	W827608

TANDEMBOX Bin 475 mm height allows for positioning of a standard inner drawer above the bin for extra storage.

Tandembox Bin 475 mm Height

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
500 mm	500 x 505 x 475 mm	52 Litre (2x26)	W827516
600 mm	600 x 505 x 475 mm	72 Litre (2x26,2x10)	W827616

TANDEMBOX Bin 575 mm height makes use of the entire cabinet to maximise bin capacity.

Tandembox Bin 575 mm Height

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
400 mm	400 x 505 x 575 mm	42 Litre (1x32,1x10)	W827418
450 mm	450 x 505 x 575 mm	64 Litre (2x32)	W827468
500 mm	500 x 505 x 575 mm	64 Litre (2x32)	W827518
600 mm	600 x 505 x 575 mm	84 Litre (2x42)	W827642
600 mm	600 x 505 x 575 mm	84 Litre (2x32,2x10)	W827618

SERVO Drive UNO for top hanging Bins is an individual electrical opening solution designed to work with the TANDEMBOX bin. It offers easy installation with all components in one "PLUG & PLAY" box.

SERVO Drive UNO for Top hanging bins

Cabinet	Description	Art. No.
450 mm	SERVO Drive UNO for top hanging bin 450 mm	BZ10T393
500 mm	SERVO Drive UNO for top hanging bin 500 mm	BZ10T443
600 mm	SERVO Drive UNO for top hanging bin 600 mm	BZ10T543

LEGRABOX Bin

- For use with Blum LEGRABOX drawer
- 40 or 70 kg weight capacities
- Integrated BLUMOTION soft close system
- Optional SERVO drive UNO for top hanging bins page 2.24
- Individual lids for each Bin
- Containers in light Orion Grey finish



LEGRABOX Bin 575 mm Height

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
450 mm	450 x 500 x 575 mm	37 Litre (29+8)	W826745
500 mm	500 x 500 x 575 mm	58 Litre (2x29)	W826750
600 mm	600 x 500 x 575 mm	58 Litre (2x29)	W826760
600 mm	600 x 500 x 575 mm	53 Litre (29+11+8+5)	W826761
600 mm	600 x 500 x 575 mm	80 Litre (2x40)	W826762

Optional full width lid for 600 mm LEGRABOX Bin Art. No. W802560-729XL

PULLBOY Soft Comfort

- Optional slide out top shelf.
- Ideal for storage under sinks
- Shallow depth of 330 mm provides
- Antracite Finish



PULLBOY Soft Comfort

Cabinet	Width x Depth x Height	Capacity (Bins)	Includes Pull out Shelf	Art. No.
600 mm	568-562 x 330 x 335	33 litres (17+2x8)	No	W840603
600 mm	600 x 500 x 475 mm	33 litres (17+2x8)	Yes	W841603
600 mm	600 x 500 x 475 mm	34 litres (2x17)	Yes	W841607



PULLBOY Soft

- High quality stable metal
- Integrated soft closing action
- Full extension ball bearing slides
- Easy removal of containers
- Depth of 410 mm for below sink installation
- Containers with handles
- Epoxy coated steel lid

Pullboy Soft

Cabinet	Type	Width x Depth x Height	Capacity (Bins)	Art. No.
500 mm	Duo	≥462 x 410 x 390 mm	24 Litre (16+8)	W839503
600 mm	Trio	≥562 x 410 x 325 mm	33 Litre (16+2x8)	W839603



PULLBOY Bin

- High quality stable metal
- Full extension ball bearing slides
- Easy removal of containers
- Depth of 400 mm for below sink installation
- Containers with handles
- Epoxy coated steel lid

Pullboy 60 - Trio

Cabinet	Type	Width x Depth x Height	Capacity (Bins)	Art. No.
600 mm	Trio	≥562 x 400 x 335 mm	32 Litre (16+2x8)	W835602



Big-Bio Bin

- High quality stable metal frame in epoxy light aluminium finish
- Full extension ball bearing slides
- Easy removal of containers
- For use behind hinged doors
- Fixing to base of cabinet
- Containers with handles
- Robust high quality plastic lid

Big-Bio

Unit	Type	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
300 mm	Duo	For Hinged Unit	254 x 475 x 465 mm	36 Litre (26+10)	W757801
400 mm	Duo	For Hinged Unit	338 x 475 x 465 mm	52 Litre (2x26)	W757811
400 mm	Duo	For Hinged Unit	338 x 475 x 565 mm	64 Litre (2x32)	W757812

PROFILELINE Bin

- High quality stable metal frame in epoxy silver coating
- Full extension ballbearing slides
- Easy removal of containers
- Two height options including low installation 320 mm for sink cabinets
- Hinged doors and connect to door options
- Containers with handles
- Robust high quality plastic lid



Profiline 30


Unit	Type	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
300 mm	Trio	For Hinged Unit	254 x 475 x 320 mm	24 Litre (3x8)	W857411
300 mm	Duo	For Hinged Unit	254 x 475 x 320 mm	24 Litre (16+8)	W857421
300 mm	Trio	For Hinged Unit	254 x 475 x 385 mm	30 Litre (3x10)	W857611
300 mm	Duo	Connected to Door	254 x 480 x 385 mm	30 Litre (20+10)	W885301
300 mm	Trio	Connected to Door	254 x 480 x 385 mm	30 Litre (3x10)	W885302

Profiline 40

Unit	Type	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
400 mm	Duo	For Hinged Unit	338 x 475 x 320 mm	32 Litre (2x16)	W887811
400 mm	Trio	For Hinged Unit	338 x 475 x 320 mm	32 Litre (16+2x8)	W887821
400 mm	Duo	For Hinged Unit	338 x 475 x 385 mm	40 Litre (2x20)	W887911
400 mm	Trio	For Hinged Unit	338 x 475 x 385 mm	40 Litre (20+2x10)	W857721
400 mm	Quad	For Hinged Unit	338 x 475 x 385 mm	40 Litre (4x10)	W857711
400 mm	Trio	Connected to Door	338 x 480 x 385 mm	40 Litre (20+2x10)	W885401

PULLBOY FLEX

- Easily installed in existing drawers
- Tray can be trimmed to suit numerous drawer types
- Bins with lids and handles (Green organic waste)
- Includes three removable plastic holders for cleaning materials
- Easy to fit and clean
- Can be fitted behind a standard 283 and 355 mm high fronts
- Main image show 800 mm Trio



PULLBOY FLEX Bin

Cabinet	Type	Min Front Height	Height	Built In Depth	Built In Width	Capacity (Bins)	Art. No.
900 mm	Trio	≥ 283 mm	230 mm	422 - 490 mm	803 - 840 mm	36 litres (3x12)	W836911
900 mm	Quad	≥ 355 mm	300 mm	422 - 490 mm	803 - 840 mm	47 litres (2x16+2x7.5)	W836902



EDEL Stainless Steel Bin

- High quality stable metal
- Hygienic Stainless steel finish
- Full extension ball bearing slides
- Easy removal of containers
- Stainless Steel containers
- Containers with handles
- Robust high quality plastic lid

EDEL

Unit	Type	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
300 mm	Trio	For Hinged Unit	254 x 475 x 385 mm	30 Litre (3x10)	W757614
300 mm	Duo	Connected to Door	257 x 475 x 385 mm	30 Litre (20+10)	W785304
400 mm	Duo	For Hinged Unit	338 x 475 x 320 mm	32 Litre (2x16)	W787814
400 mm	Trio	For Hinged Unit	338 x 475 x 320 mm	32 Litre (16+2x8)	W787824
400 mm	Duo	For Hinged Unit	338 x 475 x 385 mm	40 Litre (2x20)	W787914
400 mm	Duo	Connected to Door	338 x 475 x 385 mm	40 Litre (2x20)	W785904
400 mm	Trio	Connected to Door	338 x 475 x 385 mm	40 Litre (20+2x10)	W785404



Double Shorty Bin

- High quality stable metal frame
- Full extension ball bearing slides
- Easy removal of containers
- Low height and depth for below sink installation
- Containers with handles
- Robust anthracite lid

Double Shorty Bin

Cabinet	Type	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
500 mm	Trio	For Hinged Unit	455 x 320 x 320 mm	30 Litre (2x15)	W757411



Ergo-Master Bin

- For worktop installation
- Sits flush with worktop surface
- Organic waste can be simply wiped off the worktop directly into bin
- Secure stainless steel lid that ensures no odours escape

Ergo Master Bin

Cabinet	Diameter x Height	Capacity	Art. No.
N/A	250 ø x 350 mm	13 Litre	W060300

TRADITIONLINE

- High quality stable metal frame
- Full extension ball bearing slides
- Easy removal of containers
- Low height and depth for below sink installation



Traditionline 40 - Duo

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
400 mm	338 x 475 x 320 mm	32 Litre (2x16)	W787811

MASTERBOY

- High quality stable metal frame
- Full extension ball bearing slides
- Easy removal of containers
- Low height and depth for below sink installation



Masterboy 40

Cabinet	Width x Depth x Height	Capacity (Bins)	Art. No.
400 mm	345 x 450 x 320 mm	30 Litre (2x15)	W755511

Klassikline Swing Bins

- WESCO cam and Antibloc system
- Lid automatically rises as door is opened
- Choice of Stainless Steel or Cream finish
- Robust bin with handle
- Antibloc system protects the door
- Easy quick installation



Klassikline Bin

Cabinet	Finish	Width x Depth x Height	Capacity	Art. No.
400 mm	Stainless Steel	360 x 300 x 470 mm	15 Litre	W010414
400 mm	Cream	340 x 285 x 420 mm	11 Litre	W10112



TANDEMBOX Laundry Bin

- For use with Blum TANDEMBOX drawer (see page 1.04)
- 30 or 65 kg weight capacities
- Integrated BLUMOTION soft close system
- Optional SERVO drive UNO for top hanging bins
- Powder coated steel lid
- Containers and frame in white finish

TANDEMBOX Laundry Bin

Unit	Type	Application	Height	Capacity (Bins)	Art. No.
600 mm	Duo	Connected to Door	506 mm	80 Litre (2x40)	WLAB1560B60



Big Bio Laundry Bin

- High quality stable metal frame
- Full extension ball bearing slides
- Easy removal of container
- For use behind hinged doors
- Fixing to base of cabinet
- Robust high quality plastic lid
- Containers and frame in white finish

Big Bio Laundry Bin

Cabinet	Application	Width x Depth x Height	Capacity (Bins)	Art. No.
300 mm	For Hinged Unit	255 x 450 x 537	40 Litre (1x40)	WLAB1294WLD

TableLine Bar Console

- Ideal for high seated areas
- High quality Chrome
- Option for fixing to glass with adhesive (not supplied)
- Each console supports up to 15 kg
- Maximum distance between consoles is 600 mm



TableLine - Order Codes

Description	H x Diameter	Art. No..
TableLine Bar Console Straight For Wood Top	203 x 50 mm Ø	K9103C
TableLine Bar Console 20° Angle, For Wood top	203 x 50 mm Ø	K9104C
TableLine Bar Console 20° Angle, For Glass top	203 x 50 mm Ø	K9106C

Linero MosaiQ

- 1200 mm set
- High quality titanium grey
- Kit consists of 2 x 600 mm Rails, 2 x Small hook rail, 1 x Paper Towel holder, 1 x 300 mm rack and 1 x Quiver Box



Linero MosaiQ - Order Codes

Description	Art. No..
Basic Set Maxi	K8948TG

Midway & Wall Solutions



iMove

- CLEAR BENEFITS:
- No adjustment required
- Payload up to 8 kg
- Easy lowering
- Effortless raising
- Tried-and-tested mechanisms
- First-class materials
- Proven Kesseböhmer quality
- Safe (finger pinch protection)
- Anthracite Finish for 2018

iMOVE - Technical

Option		Hinged Door	Aventos HF
1 Tier	Min Inside Depth	270	295
	Min Inside Height	470	650
2 Tier	Min Inside Depth	270	295
	Min Inside Height	710	710

Available for 500, 600, 800 and 900 mm units in Single tier version with. 2 tier version available for 500 and 600 mm units.




iMOVE - Order Codes

		500 mm	600 mm	800 mm	900 mm
Min Inside Carcase Width		462 - 468	562 - 568	762 - 768	862 - 868
Single Tier	Art. No.	KIM501A	KIM601A	KIM801A	KIM901A
Two Tier	Art. No.	KIM502A	KIM602A		

150 mm Wall Pull Out

- Ideal storage for bottles
- Full extension runner
- 12 kg weight capacity
- 3-way Front adjustment
- Arena tray designs



150 mm Wall Pull Out

Finish	Chrome
Art No..	K4000C

Flexible Storage Rails

- Choice of baskets to suit
- High quality chrome
- Baskets are height adjustable
- Additional range of baskets available by special order



Flexible Storage Rails - Order Codes


Art No.	Description	W x D x H	Distance Between rails
K2000	Vertical Rail 1500 mm	1500 mm	N/A
K2008C	Clip On basket for vertical rails	300 x 75 x 72 mm	295 mm

Wardrobe Solutions




Wardrobe Pull Out System

- High quality chrome finish
- Three options: 2 x basket, 2 x shoe rack and 1 basket + 1 shoe rack
- Ballbearing slides
- Base and side fixing (only 1 side required)
- Clears hinge arms



Wardrobe Pull Out - Order Codes

Description	W x D x H	Art. No..
Frame Complete With Two Chrome Baskets	768 x 500 x 475 mm	KWP1C
Frame Complete With Two Shoe Racks	768 x 500 x 475 mm	KWP2C
Frame Complete With One Shoe Rack And One Chrome Basket	768 x 500 x 475 mm	KWP3C



Trouser Pull Out




- Installation on left or right
- Complete with 10 trouser rails
- Each rail fitted with anti-slip sleeve
- Rails can be moved left or right for better access

Trouser Holders- Order Codes

Description	W x D x H	Art. No.
Trouser Pull Out With 10 Anti-Slip Rails	465 x 480 x 100 mm	K4990C

Ideal Pull Out

- Quick, easy to install wardrobe pull outs
- Choice of four options: Tie and Belt, Tie, Trouser and Basket
- Supplied individually packed
- Includes spacer to clear hinged door
- Complete with fixing material including screws for spacer



Ideal Pull Out - Order Codes

Description	W x D x H	Art. No..
IDEAL Tie Pull Out	75 x 455 x 87 mm	K4962C
IDEAL Tie and Belt Pull Out	75 x 455 x 118 mm	K4963C
IDEAL Basket Pull Out	160 x 455 x 98 mm	K4960C
IDEAL Trouser Pull Out	222 x 455 x 72 mm	K4961C





Pull Down Wardrobe Rail

- Adjustable width hanging rail
- Swing down to provide easier access to clothing
- Smooth oil hydraulic movement
- Easy assembly
- Individual packing
- Max 10 kg weight capacity

Pull Down Wardrobe Rail - Order Codes

Description	Art. No..
Pull Down rail 450 - 600 mm	RR4560
Pull Down rail 580 - 800 mm	RR6083
Pull Down rail 780 - 1080 mm	RR83115